

4.14  
WHAT IS CLAIMED IS:

1. ~~A breather system for a fuel tank comprising:~~

a plurality of openings provided in the fuel tank;

5 breather hoses respectively connected to the openings;

a collecting pipe integrally connecting the breather hoses; and

a check valve connected to an ambient side of the collecting pipe,

wherein the plurality of openings are provided on opposite sides of the fuel tank so as to be spaced apart from each other.

2. The breather system for a fuel tank according to Claim 1, further comprising:

a catch tank interposed between the collecting pipe and the check valve,

wherein the catch tank is provided integrally with the check valve.

20  
25  
30  
35  
40  
45  
50  
55  
60  
65  
70  
75  
80  
85  
90  
95  
100  
105  
110  
115  
120  
125  
130  
135  
140  
145  
150  
155  
160  
165  
170  
175  
180  
185  
190  
195  
200  
205  
210  
215  
220  
225  
230  
235  
240  
245  
250  
255  
260  
265  
270  
275  
280  
285  
290  
295  
300  
305  
310  
315  
320  
325  
330  
335  
340  
345  
350  
355  
360  
365  
370  
375  
380  
385  
390  
395  
400  
405  
410  
415  
420  
425  
430  
435  
440  
445  
450  
455  
460  
465  
470  
475  
480  
485  
490  
495  
500  
505  
510  
515  
520  
525  
530  
535  
540  
545  
550  
555  
560  
565  
570  
575  
580  
585  
590  
595  
600  
605  
610  
615  
620  
625  
630  
635  
640  
645  
650  
655  
660  
665  
670  
675  
680  
685  
690  
695  
700  
705  
710  
715  
720  
725  
730  
735  
740  
745  
750  
755  
760  
765  
770  
775  
780  
785  
790  
795  
800  
805  
810  
815  
820  
825  
830  
835  
840  
845  
850  
855  
860  
865  
870  
875  
880  
885  
890  
895  
900  
905  
910  
915  
920  
925  
930  
935  
940  
945  
950  
955  
960  
965  
970  
975  
980  
985  
990  
995

3. A straddle-type four wheeled all terrain vehicle, comprising:

a body frame constituting the vehicle's body;

a straddle-type seat mounted to an upper portion of the body frame;

a fuel tank placed below the seat; and

5 a breather system for the fuel tank, wherein the breather system includes:

a plurality of breather openings provided in an upper portion of the fuel tank such that they are spaced apart from each other on right and left sides of the vehicle;

breather hoses respectively connected to the breather openings;

10 a collecting pipe integrally connecting the breather hoses; and

a check valve connected to an ambient side of the collecting pipe.

4. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein an ambient-side opening end of the check valve communicates with a space in the frame of a pipe shape so as to be opened to an ambient air.

5. The straddle-type four wheeled all terrain vehicle according to Claim 4, wherein the frame to which the check valve is connected is an upper frame that forms an upper portion of the body frame and supports the seat.

6. The straddle-type four wheeled all terrain vehicle according to Claim 3, further comprising:

a fuel inlet provided in a portion formed by upwardly extending part from an upper surface of the fuel tank on one of right and left sides of the fuel tank;

5 an air reservoir provided below the fuel inlet, the air reservoir having a first breather opening to which a first breather hose is connected; and

a second air breather opening provided in the upper face of the fuel tank on the other side of the fuel tank, to which a second breather hose is connected.

7. The straddle-type four wheeled all terrain vehicle according to Claim 3, further comprising:

a catch tank interposed between the collecting pipe and the check valve and connected to the collecting pipe and the check valve.

8. The straddle-type four wheeled all terrain vehicle according to Claim 7, wherein the catch tank is placed at a position higher than the first and second breather openings.

9. The straddle-type four wheeled all terrain vehicle according to Claim 7, wherein the catch tank and the check valve are integrally provided.

10. The straddle-type four wheeled all terrain vehicle according to Claim 7, wherein the catch tank and the check valve are directly connected to each other.

11. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein the frame has a structure of a double-cradle type.

12. The straddle-type four wheeled all terrain vehicle according to Claim 11, wherein the fuel tank is substantially accommodated in a space surrounded by upper frames, lower frames, and rear upper frames.

13. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein the collecting pipe is a T-shape joint.

14. The straddle-type four wheeled all terrain vehicle according to Claim 4, further comprising:

an insertion portion with barb for preventing disengagement from the frame, having a breather hose connecting the frame and the ambient-side opening end of the check valve, and the insertion portion being formed integrally with a connected end of the breather hose to the frame.

15. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein the check valve has two chambers, in which an air-intake side chamber and a discharge side chamber are independently formed.